Innovative Design, Efficient Performance and Quality Build.

All over the world the name Elica is synonymous with efficiency, innovation and design in the production of cooker hoods.

Beautiful, distinctive and stylish design is the unifying element and core philosophy for our entire range of cooker-hoods. Universally acclaimed for their radically innovative appearance, our products are far more than simple hoods for domestic kitchens: they are key personalities that define the room in which they are installed.

Elica no longer design hoods: we design the air itself.

Elica Collection

Elica collection represents the pinnacle of our entire range. We leave no stone unturned in pushing the boundaries of design or revolutionising the concept of what a cooker hood should be. In terms of both aesthetics and quiet performance our finest models create a stunning focal point for modern kitchen design; truly a breath of fresh air in form and function.

Star

DESIGN **LORENZO LISPI, SAURO SALVIA**

Gold Stream

New

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Black Stream

New

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Victoria

New

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ, SAURO SALVIA**

Ola

New

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Space

New

eDS3
DeepSilence

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Om Special Edition

New

DESIGN **LORENZO LISPI**

Om Special Edition

New

DESIGN **LORENZO LISPI**

Om

DESIGN **LORENZO LISPI**

Mini Om Colours

New

DESIGN **LORENZO LISPI**

Mini Om

DESIGN **LORENZO LISPI**

Grace

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Wave

DESIGN **FABRIZIO CRISÀ**

Platinum

DESIGN **LORENZO LISPI**

Isolabella

DESIGN **LORENZO LISPI**

Cube Light

DESIGN **LORENZO LISPI**

Twin

DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**

Solaris

DESIGN **DAVID LEWIS**

Solaris EDS3

New

EDS3 DeepSilence

Oxygene

New

DeepSilence

Menhir

DESIGN **DAVID LEWIS**

Black Stream 6
Cube Light 32
Gold Stream 4
Grace 24
Isolabella 30
Menhir 40
Mini Om 22
Mini Om Colours 20
Ola 10
Om 18
Om Special Edition 14
Oxygene 39
Platinum 28
Solaris 36
Solaris Eds 38
Space 12
Star 2
Twin 34
Victoria 8
Wave 26

Black Stream



Cube Light

Gold Stream



Grace

Isolabella

Menhir

Mini Om

Mini Om
Colours

Ola

Om

Om
Special Edition

Oxygene

Platinum

Solaris

Solaris Eds

Space

Star

Twin

Victoria

Wave

Due to the fact that our products are in a continuous process of improvement, Elica may at any time modify the information presented in this catalogue.

Technical Data

EDS3

Lose yourself in the music you love. Listen to the happy bubbling chatter of your kids telling you about their day at school. Luxuriate in the subtle vibrations of the world as it turns around you.

Exceptionally silent, almost imperceptible at low speeds, EDS3 is Elica's latest innovation to enrich your life, providing the maximum possible reduction in noise emission.

Reducing noise pollution by more than 35% compared to traditional cooker hoods, Elica's innovative EDS3 system, working at an ariflow of 500 m^3/h, provide a noise level of less than 45 db/a.

EDS3 DeepSilence

Magic Wand Control

Our latest cutting edge technology "magically" enclosed in a slender steel stem.
The gentlest of touches to the upper section controls the extraction speed, another to the lower and the lighting dims or rises to your command. An illuminated ring on the stem, changes colour with each touch to keep you informed of the current extraction speed.

External Motors

Many Elica models offer an external motor version. Here the motor and fan are either located in a loft space or on an outside wall. The result, superior performance with reduced extractor sound.

Perimeter Aspiration

Elica now designs the air itself. Precision engineering directs the airflow across the entire surface of the hood, thus increasing the effective extraction area of the hood. This Elica developed system reduces energy consumption and noise and has lead to the development of some of our most striking hood designs.

Optimised Aspiration System

Elica hoods treat fumes, odour and vapour. Our Optimised Aspiration System ensures the optimum balance between effectiveness, efficiency and quietness.

Evolution

Evolution, a unique super-compact "all-in-one" system, patented by Elica, has revolutionised the world of air treatment appliances for the kitchen.

Evolution uses the same cutting edge technology with attention to detail that makes Elica's products so special.

Integrated into a compact stainless steel cylinder are all the components needed for a highly efficient extractor hood including the motor, fan, filters, lighting and controls. Evolution truly is the first fully integrated system for air treatment.

Remote Control

For even greater convenience, selected models offer, as an option, the ease of a remote control for both light and extraction control. Innovative design once again gives the remote control units that special "Elica" look.

Testing to the Most Vigorous Standards

The stated performance levels are measured according to the strictest and most up-to-date technical standards (Airflow/Pressure Standard IEC61591). The values (expressed in m3/h) are reported in the features list of each product and are designated as follows:

- IEC Airflow: test carried out with a standard pipe applied to the product.
- Maximum Airflow (Free Outlet): test carried out directly at the outlet point of the hood.
- Noise level: standards IEC60704-1; IEC60704-2-13.
- Power consumption: power of motor and lighting.

Technology

Space with **Elica Deep Silence** (EDS3)

Grace with **Magic Wand Control**

Remote Control

Om with **Perimeter Aspiration**

Black Stream



Finish	Stainless steel with black glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Black Stream	BLACK STREAM IX/F 51	72716415
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Cube Light



Finish	Stainless steel with illuminated glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 40w neon lamp
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	900 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	180w
	Wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Cube Light	CUBE LIGHT IX/F 90	65414589/1
Ducting Kit Evolution	KIT REMOTE CONTROL	KIT02183
Kit Cube Light	CHIMNEY KIT CUBE LIGHT	KIT01556

Gold Stream



Finish	Stainless steel with glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Gold Stream	GOLD STREAM IX/F 51	72216362
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Grace



Finish	Stainless steel with illuminated glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Grace	GRACE IX/F 51	65414586/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Isolabella



Finish	Stainless steel and glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	900 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	140w
	Ceiling mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Isolabella	ISOLABELLA IX/F 90	65414591/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Menhir



Finish	Stainless steel
Controls	3 speed illuminated soft push buttons
Lights	4 x 20w halogen lamps
Grease filter	Professional washable metal grease filter
Ducting connector	150mm (6in) diameter ducting connector
Available widths	440 x 310 mm
Maximum airflow	800 m^3/h
IEC airflow	650 m^3/h
Noise level	43-61 dB(A)
Power consumption	260w
	Ceiling mounted Includes sound absorbing kit Optimised aspiration system Available with 1200 m^3/h external motor
Charcoal Filter	F00262/2S

	Description	Code
Menhir Soft IX/A	MENHIR SOFT IX/A	56010692
Menhir Long Chimney	MENHIR H SOFT IX/A	56012734
Menhir External Motor	MENHIR RM SOFT IX/A	56010749

Mini Om - Mini Om Colours





(Colours shown are indicative only.)



Finish	Glass with polished stainless steel chimney kit
Controls	3 speed illuminated soft push buttons
Lights	2 x 20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	550 mm
Maximum airflow	850 m^3/h
IEC airflow	660 m^3/h
Noise level	41-57 dB(A)
Power consumption	290w
	Includes sound absorbing kit Perimeter aspiration

Charcoal Filter	F00431	
	Description	**Code**
Mini Om Apple Green	Mini OM Apple Green F/55	61615788
Mini Om Electric Blue	Mini OM Electric Blue F/55	61615789
Mini Om Provence	Mini OM Provence F/55	61615790
Mini Om Yellow Curry	Mini OM Yellow Curry F/55	61615791
Mini Om Sunrise Orange	Mini OM Sunrise Orange F/55	61615792
Mini Om Turquoise	Mini OM Turquoise F/55	61615793
Mini Om White	MINI OM SOFT WH/F/55	61614584
Mini Om Black	MINI OM SOFT BL/F/55	61614583
Chimney Kit Mini Om Long	CHIMNEY KIT MINI OM LONG	KIT01513
Chimney Kit Mini Om Short	CHIMNEY KIT MINI OM SHORT	KIT01797

Ola





Bright & Red

Bright & Turquoise

Pearl & Green

Pearl & Violet

Finish	Stainless steel or pearl
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	**Code**
Ola	OLA Bright&Turquoise IX/F 51	65416190
Ola	OLA Bright&Red IX/F 51	65416191
Ola	OLA Pearl&Green IX/F 51	65416192
Ola	OLA Pearl&Violet IX/F 51	65416193

Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Om



Finish	Glass with polished stainless steel chimney kit
Controls	3 speed electronic touch screen controls + boost
Lights	4 x 20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	800 mm
Maximum airflow	850 m^3/h
IEC airflow	660 m^3/h
Noise level	41-57 dB(A)
Power consumption	330w
	Includes sound absorbing kit Perimeter aspiration

Charcoal Filter	F00264/1S	
	Description	**Code**
Om White	OM TOUCH SCREEN WH/F/80	61612978
Om Black	OM TOUCH SCREEN BL/F/80	61612979
Chimney Kit Om Long	CHIMNEY KIT OM LONG	KIT01054
Chimney Kit Om Short	CHIMNEY KIT OM SHORT	KIT01796

Om Special Edition



Finish	Glass with polished stainless steel chimney kit
Controls	3 speed electronic touch screen controls + boost
Lights	4 x20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	800 mm
Maximum airflow	850 m^3/h
IEC airflow	660 m^3/h
Noise level	41-57 dB(A)
Power consumption	330w
	Includes sound absorbing kit Perimeter aspiration Automatic opening lighting system

Charcoal Filter	F00264/1S	
	Description	**Code**
Om Special Edition Black	OM SPECIAL EDITION TC BL/F/80	61616219
Om Special Edition White	OM SPECIAL EDITION TC WH/F/80	61616318
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Chimney Kit Om	CHIMNEY KIT OM	KIT01054

Oxygene

EDS3 DeepSilence



Finish	Stainless steel
Controls	3 speed illuminated soft push buttons
Lights	4 x20w halogen lamps
Grease filter	EDS3 filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	1000X700 mm
Maximum airflow	900 m^3/h
IEC airflow	820 m^3/h
Noise level	35-56 dB(A)
Power consumption	300w
	Elica Deep Silence (EDS3) Perimeter aspiration

Charcoal Filter	KIT01916	
	Description	**Code**
Oxygene Eds	OXYGENE EDS IX/A/120x70	65316030

Platinum



Finish	Stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	**Code**
Platinum	PLATINUM IX/F 51	65414587/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Solaris



Finish	Stainless steel and glass
Controls	3 speed illuminated soft push buttons
Lights	2 x 20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150mm (6in) diameter ducting connector
Available widths	900 mm
Maximum airflow	800 m^3/h
IEC airflow	650 m^3/h
Noise level	43-59 dB(A)
Power consumption	220w
	Includes sound absorbing kit Smart installation system Perimeter aspiration
Charcoal Filter	F00262/2S

	Description	Code
Solaris 90	SOLARIS SOFT IX/A/90	65314581

Solaris EDS

EDS3 DeepSilence



Finish	Stainless steel and glass
Controls	3 speed illuminated soft push buttons
Lights	4 x 20w halogen lamps
Grease filter	EDS3 filter
Ducting connector	150mm (6in) diameter ducting connector
Available widths	1200 mm
Maximum airflow	900 m^3/h
IEC airflow	820 m^3/h
Noise level	35-56 dB(A)
Power consumption	300w
	Elica Deep Silence (EDS3) Perimeter aspiration 3D Adjustment
Charcoal Filter	KIT01916

	Description	Code
Solaris Eds 120	SOLARIS EDS IX/A/120	65315961

Space

EDS3 DeepSilence



Finish	Stainless steel + Tempered glass
Controls	Digital-R (4-speed timer-controlled with "Pure" function)
Lights	2 x 20w halogen lamps
Grease filter	EDS3 filter
Ducting connector	150mm (6in) diameter ducting connector
Available widths	780 mm
Maximum airflow	900 m^3/h
IEC airflow	820 m^3/h
Noise level	35-56 dB(A)
Power consumption	260w
	Elica Deep Silence (EDS3) Pure Technology 3D Adjustment
Charcoal Filter	KIT01916

	Description	Code
Space Eds Black	SPACE EDS DIGITAL R BL/A/78	68815548
Space Eds White	SPACE EDS Digital R WH/A/78	68816317
Chimney Kit Space (H800)	CHIMNEY KIT SPACE	KIT01932

Star



Finish	Illuminated glass sphere with stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	470 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	**Code**
Star	STAR IX/F 47	65414592/2
Kit Remote Control	KIT REMOTE CONTROL	KIT02183

Twin



Finish	Stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	2 x 40w halogen lamp + 6 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	900 mm
Maximum airflow	1000 m^3/h
Maximum airflow	560 m^3/h (recycling)
IEC airflow	800 m^3/h
Noise level	45-65 dB(A)
Power consumption	520w
	Ceiling mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	**Code**
Twin	TWIN IX/F 90	65414590/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183

Victoria



Finish	Illuminated glass with stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	**Code**
Victoria	VICTORIA IX/F 51	60416363
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Wave



Finish	Stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m^3/h
Maximum airflow	280 m^3/h (recycling)
IEC airflow	400 m^3/h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Wave	WAVE IX/F 51	65414588/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Remote Motor



Finish	Stainless steel
Maximum airflow	1200 m^3/h
IEC airflow	850 m^3/h
Pressure	575 Pa
Noise level at speed 3	50 dB(A)
Noise level at 300 m3/h	38 dB(A)
Absorption	180 watt

Accessories

For information on an extensive range of ducting, filters and accessories please refer to the DR Cooker Hoods Essentials brochure.

	Description	Code
Chimney Kit	CHIMNEY KIT OM	KIT01054
	CHIMNEY KIT MINI OM	KIT01513
	CHIMNEY KIT SPACE	KIT01932
	CHIMNEY KIT CUBE LIGHT	KIT01556
	DUCTING KIT EVOLUTION	KIT01611
Filter	FC Type 20 Long Life	F00262/2S
	FC Type 31 Long Life	F00264/1S
	FC Type 45 Long Life	F00431
	FC Long Life EDS3	KIT01916
	Evolution Long Life FC Kit	F00433
Installation Kit	Evolution Cable Extention Kit (2,5m)	KIT01889
	Evolution Cable Extention Kit Isolabella (2,5m)	KIT01890
	Evolution Cable Extention Kit (5m)	KIT01921
	Evolution Cable Extention Kit Isolabella (5m)	KIT01922
	Kit Remote Motor	40010625

Elica S.p.A.
Via Dante 288
60044 Fabriano (AN) Italy
T +39 0732 6101
F +39 0732 610249
info@elica.com
www.elicacollection.com

D R Cooker Hoods Ltd
2 Alpha Road Aldershot
Hampshire GU12 4RG
T 01252 351111
F 01252 311608
sales@drcookerhoods.co.uk
www.elica.co.uk

MC00842